



**MP Biomedicals, LLC**

29525 Fountain Parkway  
Solon, Ohio 44139

Telephone: 440/337-1200  
Toll Free: 800/854-0530

Fax: 440/337-1180  
web: [www.mpbio.com](http://www.mpbio.com)

## Certificate of Analysis

**Product Description:** Water for cell culture\_  
**Catalog Number:** 1696054\_  
**Lot:** 16960014\_

**Formula:** H<sub>2</sub>O  
**CAS #:** 7732-18-5  
**Physical Description:** Clear, Colorless Liquid

**Formula Weight:** 18.02  
**Storage:** Room Temperature

Test	Specification	Result
Identity Test	Passes	Passes
Sterility	Passes	Passes
Endotoxin	≤0.125 EU/ml	<0.005 EU/ml
pH	5.0 - 7.0	5.5
Chemical Analysis	Meets USP limits for Purified Water	Passes
Expiration Date	Month/Day/Year	7/31/04

  
03/03/2003 - Joseph Dietz, Ph.D.  
MP Biomedicals, LLC.  
Technical Director

This is an electronically generated document  
<mailto:biotech@mpbio.com>  
<http://www.mpbio.com>

Online Ordering, MSDSs, certificates of analysis and data sheets now available on our web site  
Technical Service: 1-800-279-5490 (440-337-1200) Customer Service: 1-800-854-0530 (440-337-1200)