



**MP Biomedicals, LLC**

29525 Fountain Parkway  
Solon, Ohio 44139

Telephone: 440/337-1200  
Toll Free: 800/854-0530

Fax: 440/337-1180  
web: www.mpbio.com

## Certificate of Analysis

**Product Description:** Water for cell culture\_  
**Catalog Number:** 1696054\_  
**Lot:** C1921\_

**Formula:** H<sub>2</sub>O  
**CAS #:** 7732-18-5

**Physical Description:** Clear, Colorless Liquid

**Formula Weight:** 18.02  
**Storage:** Room Temperature

Test	Specification	Result
Identity Test	Passes	Passes
Sterility	Passes	Passes
Endotoxin	≤ 0.125 EU/ml	<0.125 EU/ml
pH	5.0 - 7.0	5.02
Chemical Analysis	Meets USP limits for Purified Water	Passes
Expiration Date	Month/Day/Year	1/31/2015

Mycoplasma: Negative

Osmolality: 0 mM/kg

Bioburden:

- Aerobic: <1 cfu/50 ml

- Anaerobic: <1 cfu/50 ml

- Fungal: <1 cfu/50 ml

- Spores: <1 cfu/50 ml

Total Organic Carbon: 1.03 mg/L

18 mega-ohm

*Christina Marotta*

03/05/2013 - Christina Marotta

MP Biomedicals, LLC.

Technical Director

This is an electronically generated document  
mailto:biotech@mpbio.com

<http://www.mpbio.com>

Online Ordering, MSDSs, certificates of analysis and data sheets now available on our web site

Technical Service: 1-800-279-5490 (440-337-1200) Customer Service: 1-800-854-0530 (440-337-1200)