



MP Biomedicals, LLC

29525 Fountain Parkway
Solon, Ohio 44139

Telephone: 440/337-1200
Toll Free: 800/854-0530

Fax: 440/337-1180
web: www.mpbio.com

Certificate of Analysis

Product Description: Water for cell culture_
Catalog Number: 1696054_
Lot: QR15259_

Formula: H₂O

CAS #: 7732-18-5

Physical Description: Clear, colorless liquid

Formula Weight: 18.02

Storage: 15 - 30°C

Test	Specification	Result
Identity Test	Passes	Passes
Sterility	Passes	Passes
Endotoxin	≤ 0.125 EU/ml	<0.1 EU/ml
pH	5.0-7.0	5.86
Chemical Analysis	Meets USP limits for Purified Water	Passes
Expiration Date	m/yr	03/04/2020

Mycoplasma: Negative

Osmolality: 0 mM/kg

Animal cell culture

Cell growth promotion: Passes

Viability: >90%

Bioburden:


- Aerobic: 0 cfu/100 ml

- Fungal: 0 cfu/100 ml

- Spores: 0 cfu/100 ml

Total Organic Carbon: 1,950 ppb

18 mega-ohm



03/06/2018 - John Huang, PhD

MP Biomedicals, LLC.
Quality Control Manager

This is an electronically generated document

<mailto:biotech@mpbio.com>

<http://www.mpbio.com>

Online Ordering, MSDSs, certificates of analysis and data sheets now available on our web site

Technical Service: 1-800-279-5490 (440-337-1200) Customer Service: 1-800-854-0530 (440-337-1200)