



MP Biomedicals, LLC.

29525 Fountain Parkway
Solon, Ohio 44139

Telephone: 440/337-1200

Toll Free: 800/854-0530

Fax: 440/337-1180

mailto:biotech@mpbio.com

web: www.mpbio.com

cappel

**PEROXIDASE-CONJUGATED GOAT AFFINITY PURIFIED
ANTIBODY TO GUINEA PIG IGG (WHOLE MOLECULE) - 2ML**

Catalog #: 57001

Lot #: 40273

Total Protein: 0.8 mg/ml

Titer: 1:24,200

DESCRIPTION:

Product is horseradish peroxidase (HRP)-conjugated goat affinity purified antibody to guinea pig IgG (whole molecule) and buffer salts.

Antibody and highly purified HRP ($R_z > 3.0$) are conjugated under defined conditions to obtain optimally labeled product.

Conjugated protein is purified by salt fractionation. The product is dialyzed into 0.02M sodium phosphate, 0.14M sodium chloride, pH 7.3, with 0.01% thimerosal, adjusted to standard titer, filtered through a 0.22 μ m filter, and vialled.

USES:

This product is suitable for use as a reagent in enzyme immunoassays (EIA), cell and tissue staining (for light microscopy), cell and tissue labeling (for electron microscopy), and blot immunostaining. Use of affinity purified antibodies is recommended to avoid non-specific binding from the inherent antibodies of host animals. (Note: $F(ab')_2$ fragments are recommended for staining of cells or tissues which contain Fc receptors. See **Related Product Ordering Information** for these products.)

SPECIFICATIONS:

The total protein is measured using the Biuret procedure with bovine albumin as a standard. To ensure that the product titer falls within the required range, antibody titer is standardized by microtiter plate ELISA with guinea pig IgG. The product is tested for purity and specificity at final concentration by immunoelectrophoresis. The antibody is goat IgG; no trace of albumin is detected. It shows reactivity to guinea pig IgG; cross-reactivity to other species may exist. Because the product is directed against whole IgG, some antibodies are expected to bind light chain sites common to all immunoglobulins. Antibody activity to non-immunoglobulin serum proteins is not present.

STORAGE:

Store unopened product at 2-8°C. Store opened material no longer than 4 weeks at 2-8°C. For long term storage, aliquot and store with 40% glycerol (v/v) at -20°C.

WARNING AND CAUTION:

This product is intended **FOR RESEARCH USE ONLY**, not for use in diagnostic or therapeutic procedures involving humans or animals.

RELATED PRODUCT ORDERING INFORMATION:

Catalog # Description Size

55367 GOAT ANTI-GUINEA PIG IGG (WHOLE MOLECULE) 2ML
55375 IGG GOAT ANTI-GUINEA PIG IGG (WHOLE MOLECULE) 5ML
55382 FITC GOAT ANTI-GUINEA PIG IGG (WHOLE MOLECULE) 2ML
55387 FITC F(AB')₂ GOAT ANTI-GUINEA PIG IGG (WM) 2ML
55389 RHO GOAT ANTI-GUINEA PIG IGG (WHOLE MOLECULE) 2ML
55391 HRP GOAT ANTI-GUINEA PIG IGG (WHOLE MOLECULE) 2ML
57000 FITC AFF.PUR. GOAT ANTI-GUINEA PIG IGG (WM) 2MG
55931 PURIFIED GUINEA PIG IGG 20MG
36315 DAB 6x1ML
36317 OPD 6x1ML
36318 TMB 6x1ML
36319 ABTS\ 6x1ML
55984 NORMAL GOAT SERUM 2ML

\ABTS is a registered trademark of Boehringer Mannheim GmbH.


Approved by Joseph Dietz, Ph.D.
Quality Control Director

TO PLACE AN ORDER IN THE U.S., PLEASE CALL 800-854-0530
OR TO OBTAIN TECHNICAL ASSISTANCE IN THE U.S., PLEASE CALL 800-279-5490
OUTSIDE THE U.S., CONTACT YOUR LOCAL DISTRIBUTOR.